CUMULATIVE INDEX 1993

Volume 9

February	CARE OF THE OLDER WOMAN, pages 1–277
May	MEDICAL CONSIDERATIONS IN THE OLDER DRIVER, pages 279–490
August	GERIATRIC EMERGENCY CARE, pages 491–688
November	GERIATRIC REHABILITATION, pages 689–925

Note: Page numbers of issue and article titles are in **boldface** type

AARP 55 Alive/Mature Driving Program, 443–444
Abdominal infection, and fever of unknown origin, 571
Abdominal trauma, emergency management of, 610
Absorbent pads/pants, for urinary incontinence, in older women, 170
Accident, risk of, in driver with dementia, 384
Acne rosacea, in older women, 221
Acrocordans, in older women, 218
Acromioclavicular joint, aspiration/injection of, for arthritis, 786
Actinic damage, in older women, 220
Activities of daily living, correlation with driving status, 353
  difficulty with, age and, 885
  levels of, assessment of, 5
Acupuncture, for arthritis, 795–796
Acute abdomen, **547–558**
  causes of, 548
  diagnosis of, 547
Adaptation skills, in late-life disability, 848–849
Adaptive equipment/training, for crash victim, 481
  for older driver, 444–446
Adhesions, of small intestine, and acute abdomen, 550
Adhesive capsulitis, rehabilitation in, 797
Adrenal metastases, in lung cancer, 541
Adrenergic symptoms, with hypoglycemics, 428
Adult respiratory distress syndrome, clinical source of, 539
  emergency presentation of, 538–540
  outcome of, 540
Advance directives, for elderly, 12
  for emergency care, 660
Affective disorders, in older Hispanic-American women, 241
Affective state, in psychologic rehabilitation assessment, 851
African-American older women, 236–240
  demographics of, 236
  health beliefs and behaviors of, 239–240
  health care access and use by, 238–239
  risks for impaired health in, 237–238
  role of, 236–237
Age, advanced, and survival, in trauma victim, 468
Age bias, in emergency care of elderly, 656
Aggression, impaired regulation of, problems arising from, 646–651
Aging, and biologic sexual changes, 90–94
  and fractures, 718
  as cardiac disease risk factor, 500
  psychosocial aspects relevant to sexuality, 94–97
  rapid, in Native American women, 249
  sexual health and, 89–97
Agitation, in elderly, pharmacologic intervention for, 642–643
Agranulocytosis, as psychogeriatric emergency, 643
Airway, maintenance of, in geriatric trauma, 604
  management of, following stroke, 711
Akinesia, in Parkinson's disease, 769–770
Akinetic-rigid syndromes, differential diagnosis of, 771–772

Akinetic-rigid syndromes *(Continued)*
investigations of, 772
therapy of, 772–775
Alcohol abuse, in older women, 10–11, 199–203
assessment of, 201–202
definition of, 200
effects of, 200–201
perspectives on, 194
presentation of, 202–203
treatment of, 202–203
in rehabilitation patients, 845
Alcohol dependence, in older women, definition of, 200
perspectives on, 194
Allied health professionals, role in rehabilitation, 698–699
Alopecia, androgenetic, in older women, 224–225
Alpha-adrenergic agonists, for urinary incontinence, in older women, 163, 169
Alveolar-arterial oxygen gradient, elevated, with pulmonary embolism, 529
Alzheimer's disease, and older driver, 350
attention in, 378–379
Amantadine, for parkinsonism, 773
Ambulation, functional assessment of, 749–750
Americans with Disabilities Act, 835
impact on elderly transportation, 308–309
Aminophylline, in emphysema, 534
Amnesia, in rehabilitation patients, 844
Amputation, incidence and cause of, 731–732
levels of, 731–734
lower limb, causes of, 732
energy consumption with, 741
preprosthetic rehabilitation for, 734
preventive care for, 732
prosthetic prescription following, 735–739
rehabilitation following, **731–743**
environments for, 739–742
in dual disability patient, 741–742
Angina pectoris, driving privileges in, 342–343
emergency presentation of, 507–508
Ankle-foot components, for lower limb prostheses, 735
Ankle fracture, emergency management of, 614–615
Ankle joint, aspiration/injection of, for arthritis, 790
Anorexia, in older women, and emotional health, 184–185
Antibiotics, in emphysema, 535
Anticholinergics, for parkinsonism, 773
for urinary incontinence, in older women, 163, 168
in emphysema, 534
psychosis with, as psychogeriatric emergency, 644–645
Antidepressants, and crash involvement, 425
and driving safety, epidemiologic studies of, 424–426
effect on driving, 423–426, 429
for geriatric patients, 853
for stroke patients, characteristics of, 714
pharmacology of, 423
psychomotor function with, 423–425
use by older drivers, 417
Antihistamines, effect on driving, 417, 426–427, 429
Antipsychotics, effect on driving, 428–429
Antispasmodics, for urinary incontinence, in older women, 163, 169
Anxiety, in older women, 177–179
assessment and management of, 179
causes of, 178
perspectives on, 194
in rehabilitation patients, 844–845
Anxiolytics, effect on driving, 422
Aortic aneurysm, abdominal, and acute abdomen, 554–555
Aortic dissection, and acute abdomen, 555–556
Aortic injury, emergency management of, 609–610
Aortic insufficiency, emergency presentation of, 515–517
Aortic regurgitation, severe, differential features of, 516
Aortic stenosis, acquired, emergency presentation of, 511–513
and congestive heart failure, 508
Appendicitis, and acute abdomen, 552
Arterial blood gases, in emphysema, 532
Arteriosclerosis, screening for, in older women, recommendations for, 14
Arthritis. See also *Osteoarthritis*.
car adapatations in, 320
cervical restriction by, compensation for, 319
effects of therapy on central nervous system, 315–316
effects on driving, 318
assessment of, 318–320
management of, 320–321
screening examination for, 313
treatment of, 312
effects on motor function, 316–317
hand/wrist examination in, 319
in older driver, evaluation of, **311–322**
psychological and neurologic features of, 314–316
psychosocial concerns of, 314–315
in older women, and sexual difficulties, 100

Hispanic-American, 241
prevalence of, 311–314
rehabilitation of, **783–801**
rheumatoid, 793–796
management of, 793–795
exercise, 793
physical modalities, 793
splinting and rest, 793
Arthropathy, neurogenic, 796
Asian/Pan-Pacific older women, 243–248
demographics of, 243–244
health beliefs and behaviors of, 247–248
health care access and use by, 246–247
risks for impaired health in, 245–246
role of, 244–245
Aspiration, and adult respiratory distress syndrome, 538
and mortality, in trauma victim, 469
emergency presentation of, 537–538
Assaultiveness, emergency management of, 648–650
hierarchy of threat in, 647–650
physical restraints for, 649
Assistive devices, in rehabilitation, **803–821**
factors contributing to use, 804–805
mobility aids, 805–811
resources for, 814
Asthma, emergency presentation of, 531
Atherosclerosis, effect of estrogen on, 41, 60
Athetosis, disorders associated with, 776
Attention, and crash risk, 380–383
and driving, **377–387**
defining and measuring, 367
and rehabilitation potential, 694
auditory switching task in, 380
benzodiazepine impairment of, 419
divided, and crash risk, 381–382
definitions of, 377–378
engagement vs disengagement of, 381
in dementia, 378–379
and driving performance, 383–384
in reaction time, 407
selective, and crash risk, 380–381
definitions of, 377
sustained, and crash risk, 382
definitions of, 378
tests of, in medicated older driver, 414
varieties of, 377–383
visual switching task in, 379
Attentional windows, in field of view, 395–396
Auditory attention switching task, 380

Bacteremia, and septic shock, 570
Bacteriuria, and urinary tract infections, 568
Balance, functional assessment of, 748–749
in driving, 404
Barthel index, of stroke rehabilitation, 710
Basal metabolic rate, in thermoregulation, 622
Bathing, rehabilitation training in, 812–813
Bathroom transfers, rehabilitation training in, 810–811
Bed/mat mobility, functional assessment of, 748
Behavior disorders, as barrier to nursing home rehabilitation, 866–867
Behavioral-cognitive therapy, for arthritis, 796
Behavioral training, for urinary incontinence, in older women, 162–164
Benzodiazepines, and crash involvement, 422
effect on driving, 417, 420, 429
epidemiologic studies of, 420–422
for agitation, 642
for arthritis, effects on central nervous system, 315–316
pharmacology of, 418
psychomotor effects of, 418–420
Beta-adrenergic agents, in emphysema, 533
Beta-blockers, effect on driving, 429
for acute myocardial infarction, 503
Bethanechol, for urinary incontinence, in older women, 163
Bicycle, recumbent, for exercise, 755
Bile peritonitis, and acute abdomen, 552
Biofeedback, for urinary incontinence, in older women, 162
Bisphosphonates, for osteoporosis treatment, 78
Bladder record, for incontinence evaluation, 160
Bladder surgery, for urinary incontinence, in older women, 165
Bladder training, for urinary incontinence, in older women, 164
Blood cultures, for infective endocarditis, 565
Blood pressure, effect of estrogen on, 60
in geriatric trauma, 605
screening for, in older women, 13
Body heat, reduction of, physiologic mechanisms of, 623
Bone, integrity of, in elderly women, 10
skeletal, changes in, 71
with postmenopausal estrogen deprivation, 37–38
development of, 70
involution of, 71–72
maturation of, 70–71
Bone formation-stimulating therapy, for osteoporosis treatment, 78–79
Bone pain, in lung cancer, 541
Braces, for osteoarthritis, 792
Brachial plexus injury, following stroke, 712

Bradykinesia, in Parkinson's disease, 769–770
Brain injury, emergency management of, 606–607
Braking, effect of arthritis on, 317
Breast cancer, in elderly women, **107–113**
aggressiveness of, 108–109
cause of death in, 110
comorbid conditions in, life expectancy with, 109
myths concerning, 107–111
patterns of care for, 147–149
stage at presentation, 108
tolerance for standard treatment of, 109–111
risk of, with hormone replacement therapy, 45–50
Bromocriptine, for parkinsonism, 773
Bronchitis, chronic, emergency presentation of, 531–532
Buproprion, for geriatric depression, 853

CA-125, elevation of, in ovarian cancer, 118
Calcitonin, for osteoporosis treatment, 77–78
Calcitriol, effects on estrogen on, 262–263
Calcium, absorption of, effects of estrogen on, 263
dietary consumption of, in osteoporosis prevention, 75
homeostasis of, postmenopausal changes in, 73
postmenopausal need for, 38
Calcium blockers, for acute myocardial infarction, 503–504
Cancer, diagnosis of, effect of age on, 146
relationship of age to stage of, 146–147
in older women, African-American, 237
patterns of care for, 147–150
study of, Women's Health Initiative and, 267
screening for, effect of age on, 146
in older women, recommendations for, 13
therapy for, age and gender as factors in, **145–155**
effect of age on, 146
factors influencing, 151–152
gender-specific issues in, 150–151
Canes, rehabilitation training with, 805
Capsulitis, adhesive, rehabilitation in, 797
Carbidopa, for parkinsonism, 774
Carcinoma, of skin, in older women, 222
of vulva, invasive, management of, **131–143**
Cardiac conduction, disturbances in, as psychogeriatric emergency, 643
Cardiac contusion, emergency management of, 608–609
Cardiac disease, emergency presentation of, **499–525**
risk factors for, 500–501
Cardiac output, in geriatric trauma, 605
Cardiac physiology, in aged, 499–501
Cardiomyopathy, hypertrophic, emergency presentation of, 514–515
Cardiopulmonary bypass, for hypothermia, 635
Cardiopulmonary disease, deconditioning interventions in, 752
emergency presentation of, 494
Cardiopulmonary resuscitation, in emergency care of elderly, 657
Cardiopulmonary support, for hypothermia, 636
Cardiovascular disease, effects on driving tasks, **341–348**
gender-biased research on, 264
state driving policies on, 287–289
with postmenopausal estrogen deprivation, 38–43
Cardiovascular fitness, maintenance of, in Parkinson's disease, 766
Cardiovascular system, assessment of, for rehabilitation, 691–692
deconditioning of, 746
disorders of, and syncope, 582
response to trauma, 603
Care of the Older Woman, **1–277**
Caregiver assessment form, for elderly women, 31
Caregiving, and substance abuse, in older women, 199
Carotid sinus baroreceptor function, and syncope, 581
Carotid sinus massage, in syncope evaluation, 583
Cartilage, age-related changes in, 784
Catheters, for urinary incontinence, in older women, 166–168
Cecal bascule, and acute abdomen, 550
Cecal volvulus, and acute abdomen, 549
Cell-mediated immunity, in aged, 560–561
Cellulitis, emergency management of, 569
Cerebrospinal fluid examination, in meningitis, 563
Cerebrovascular accident, in older women, and sexual difficulties, 101
Cerebrovascular disease, cognitive impairment in, 329
in older drivers, 327–331
Cervical cancer, 126–127
diagnosis of, incidence by age, 116
in older Hispanic-American women, 241
mortality rates of, 117
mortality-to-incidence ratio for, 118
screening for, 117–119

staging of, 126
treatment for, 119–121, 126–127
Chemotherapy, for breast cancer, in elderly women, 111
for gynecologic malignancy, in older women, 120–121
for ovarian cancer, 123–124
Cherry hemangiomas, in older women, 217
Chest wall injuries, emergency management of, 607–609
Choice reaction time, 406
Cholecystitis, acute, and acute abdomen, 552
Cholesterol, as cardiac disease risk factor, 501
in older women, and heart disease, 58
screening for, recommendations for, 13
profile of, gender differences in, 39
Cholinergic agents, for urinary incontinence, in older women, 163
Chopart's tarsotarsal amputation, indication for, 733
Chorea, disorders associated with, 776
Chronic disorders, state driving policies on, 287
Clinical psychologist, role in rehabilitation, 475
Clozapine, for parkinsonism, 774
Codeine, effect on driving, 426
Cognitive function, age-associated changes in, effect on driving, 370–371
disorders of, in older women, 179–182
impairment of, as barrier to nursing home rehabilitation, 866
emergency management of, 642
in older driver, 281, 350–351
in rehabilitation patients, 843–844
relevant to driving, defining and measuring, 367–369
screening of, in psychologic rehabilitation assessment, 850–851
status of, in elderly women, 8–9
Cognitive skills, and functional independence, 476
Cold application, for osteoarthritis, 791
for rheumatoid arthritis, 794
Collagen, injections of, for aging skin, in older women, 226
skin, degeneration with aging, 214–215
Collagen vascular disorders, and fever of unknown origin, 571
Collection devices, for urinary incontinence, in older women, 166–168
Colles' fractures, 725–726
emergency management of, 612
Colon cancer, in older Chinese-American women, 245
Colonic volvulus, and acute abdomen, 549
Colorectal cancer, in older women, patterns of care for, 149
Colporrhaphy, anterior, for urinary incontinence, in older women, 164
Communication, in stroke rehabilitation, 713
skills in, and functional independence, 476
Comorbidity, as influence in cancer treatment, 151–152
Complementary medicine, in arthritis, 795–796
Comprehensive geriatric assessment, driving assessment in, 454
of older women, 3–4
traditional internal medicine approach vs, 4
Confusion, definition of, 577
in rehabilitation patients, 844
treatment of, 579–580
Continence, in elderly women, 6
Contraceptives, perimenopausal, 35–36
Contrast sensitivity, visual, with aging, 392
Cooling methods, for hyperthermia, 629
Cor pulmonale, in emphysema, 532
Coronary heart disease, in postmenopausal women, estrogen use and, 61–62
Corticosteroids, for rheumatoid arthritis, 795
in emphysema, 534
Cosmetic concerns, of older women, 226–227
Counseling, for older women, recommendations for, 13
Crash risk, of older driver, 282
Crash victim, rehabilitation of, **473–483**
Crepitus, with osteoarthritis, 784
Critical care, and survival, in trauma victim, 468–470
Crutches, rehabilitation training with, 805–806
Cystitis, and urinary tract infection, 568
Cystometry, bedside procedure for, 161

Decision-making, relevant to driving, defining and measuring, 368
Deconditioning, **745–763**
cascade of disasters involving, 751
definition of, 745–746
functional assessment of, 747–750
ambulation, 749–750
balance, falls, and recovery skills, 748–749
bed/mat mobility, 748
flexibility, 747–748
manual muscle testing, 747
transfers, 748
wheelchair mobility, 749
functional orientation to, 746–747
interventions for, 751–752

Deconditioning *(Continued)*
prevention of, 754–760
Defensive Driving Course Program, National Safety Council sponsored, 443–444
Delirium, acute, in aged, medical causes of, 579
definition of, 577
dementia vs, 577–580
diagnostic criteria for, 578
diagnostic tests for, 580
in older women, 179–180
in rehabilitation patients, 844
Dementia, and fractures, 719
and older driver, **349–364**
attention deficit in, 383–384
clinical approach to, 355–359
assessment, 355–356
management, 356–359
clinical measures of, correlation with driving, 352–354
future directions in, 360–361
history in, 350–352
interventions in, 358
physician reporting of, 358
practice, ethical, and policy implications of, 359–360
risk with, 452–454
and rehabilitation potential, 694
definition of, 578
delirium vs, 577–580
in older women, 180
assessment and diagnosis of, 180–181
causes of, 181
management of, 181–182
in Parkinson's disease, 771
in rehabilitation patients, 844
Department of motor vehicles, older driver assessment by, roles and responsibilities in, 456–457
Dependency, coping with, 849
Depression, as barrier to nursing home rehabilitation, 867
in older women, 175–177
and substance abuse, 198
causes of, 176
management of, 177
perspectives on, 194
in rehabilitation patients, 842–843
evaluation of, 695
Depth perception, deficits in, with aging, 393
Dermatitis, seborrheic, in Parkinson's disease, 770
Dermatologic concerns, of older women, **209–229**
Dermis, structure and function of, 209–210
thickness of, relationship to age, 213
Desipramine, for geriatric depression, 853
Diabetes mellitus, as cardiac disease risk factor, 501
characteristics of, 335
effect on driving, 331–335
in older drivers, **323–339**
accident rates in, 336
driving mishaps with, 326
in older women, African-American, 237
and sexual difficulties, 100
Japanese-American, 245
Native American, 249–250
Pan-Pacific, 245
prevalence of, 331–332
state driving policies on, 287–289
Diastolic dysfunction, and congestive heart failure, 508
treatment of, 511
Dicyclomine hydrochloride, for urinary incontinence, in older women, 169
Dietician, role in rehabilitation, 475
Digitalis glycosides, for congestive heart failure, 510
Directives, advance, in emergency care of elderly, 660
Disability(ies), definition of, 474
diseases and impairments causing, prevalence and impact of, 886
functional, educating primary care physicians in, 883
failure to identify, 874
international classification of, 889
natural history of, in rehabilitation research, 897–898
varying definitions of, 837–838
Diseases, age-related, and risk of unsafe driving, 451
international classification of, 889
Distractibility, and driving problems, 354
Diuretics, for congestive heart failure, 509–510
Diverticulitis, and acute abdomen, 553
Do-not-resuscitate orders, in emergency care of elderly, 657–660
Dopamine receptors, for parkinsonism, 773
Dressing, rehabilitation training in, 811–812
Driver, older, **279–483**. See also *Older driver.*
Driver license(s), age distribution of, 299–300
loss of, impact of, 301–302
sex distribution of, 300–301
Driver training programs, sponsored, 443–444
Driving, advisability of, physician-patient discussion of, 454
attention and, **377–387**. See also *Attention.*
benzodiazepine impairment of, 419–420
epidemiologic studies of, 420–422
functions relevant to, defining and measuring, 365–370
in rehabilitation of crash victim, 480–481

motor components relevant to, 403–408
patterns of, of older driver, 282
physical fitness and, 442
problems with, as early sign of dementia, 352
unsafe, risk of, medical conditions increasing, 451
Driving performance, improving, 408–409
occupational therapy's involvement in, 440–442
relationship to vision, 394–398
Driving simulation tests, in medicated older driver, 414
Driving status, correlation with cognitive skills, 354
Drug(s), and adult respiratory distress syndrome, 538
and hyperthermia, 628
Drug abuse, in older women, 203–206
effects of, 204
presentation of, 205–206
treatment of, 205–206
Drug dependence, in older women, perspectives on, 194
Duodenal ulcer, giant, and acute abdomen, 552
Dying, in older women, and emotional health, 185
Dynamometer, for grip strength assessment, 405
Dyskinesias, in parkinsonism, 774
Dysmnesia, in rehabilitation patients, 844
Dystonia, acute, as psychogeriatric emergency, 645
disorders associated with, 776
treatment of, 777

Eating, in older women, and emotional health, 184–185
Economic factors, in rehabilitation, 697
Economic hardship, and substance abuse, in older women, 198
Economic status, in elderly women, 11
Elbow joint, aspiration/injection of, for arthritis, 786
Elder abuse/neglect, **665–681**
assessment of, protocol for, 677–681
collateral contacts in, 681
diagnosis in, 681
functional assessment in, 678
history in, 677
interview with caregiver in, 680
physical examination in, 678–679
signs and symptoms in, 677–678
definitions and epidemiology of, 666–667
emergency management of, 646
management and prevention of, decision flow charts for, 673–674
ethical and legal considerations in, 672–673
resources for, 672
of women, 183–184
risk factors for, 667–668
theories of, 667
victim identification in, 668–671
clues from presentation, 668
interview of suspect, 671
laboratory testing and imaging, 671
medical history, 668–669
patient with dementia, 670–671
physical examination, 669–670
Elderly couples, sexuality in, 96
Elderly driver. See *Older driver.*
Elderly population, acute pulmonary disease in, **527–545**
cardiac disease in, **499–525**
cardiac physiology in, 499–501
dependence of on automobile, 298–301
disabled, driving by, 301–302
emergency services use by, **491–497**
gender ratio of, 2
hospitalized, deconditioning considerations for, 754
long-term health care needs of, 837
miles driven by, 301
mode of transportation of, changes in, 299
population of, 20th-century changes in, 492
public transit use by, 303–305
special concerns of, 6–12
special transit use by, 305–307
transportation needs of, **297–310**
impact of Americans with Disabilities Act, 308–309
travel by, barriers to, 302
voluntary driving reductions by, 303
Electrical stimulation, for urinary incontinence, in older women, 166
Emergency care, ethical issues in, **655–664**
Emergency department, geriatric psychiatry in, 494–495, 641–642
use by elderly, **491–497**
appropriateness of, 492–495
common diagnoses in, 493–494
outcome following discharge, 495
Emphysema, complications in, 535
emergency presentation of, 532–535
Endocarditis, aortic insufficiency with, causes of, 515
bacterial, antibiotic prophylaxis for, 513
infective, and fever of unknown origin, 571
clinical features of, 564–565
in elderly, diagnosis and management of, 565–566
with valvular prostheses, 520
Endocrine diseases, and hyperthermia, 628–629

Endometrial cancer, 124–125
diagnosis of, incidence by age, 116
mortality rates of, 117–118
risk of, with hormone replacement therapy, 45
screening for, 117–119
staging of, 125
treatment for, 119–121, 125
Endotracheal intubation, for adult respiratory distress syndrome, 539
Environmental assessment form, for elderly women, 23–24
Environmental temperature, and thermoregulation, 622
Ephedrine, for urinary incontinence, in older women, 169
Epidemiologic studies, of medications and older driver, 415–417
Epidermis, aging of, 211–212
structure and function of, 209–210
thickness of, relationship to age, 212
Epilepsy, accident rates in, 328
driving mishaps with, 326
driving restrictions with, 325–326
in older drivers, 324–327
state driving policies on, 287–289
Equipment, adaptive, in stroke rehabilitation, 713
Ergonometer, lower extremity, 757
upper extremity, 756
Erysipelas, emergency management of, 569
Estrogen(s), and heart disease, **57–67**
clinical trials of, 63–64
deficiency of, physiologic changes associated with, 73
effect on bone density, 37
effects on research findings, 262
exogenous, and cardiovascular disease risk, 40–42
for hip fracture prevention, 80–81
for osteoporosis treatment, 77
for urinary incontinence, in older women, 163, 170
oral, effect on lipids, 58–59
postmenopausal deprivation of, problems of, 34–43
Ethical decision making, in rehabilitation, research on, 902–903
Ethical issues, in emergency care of elderly, **655–664**
Ethics, in driver dementia, 359–360
Ethnicity, and health, in older women, **231–259**
Etidronate disodium, for osteoporosis, 38
Evaporation, cooling with, for hyperthermia, 629
Exercise, benefits of, 760
considerations in, 753
for functional urinary incontinence, in older women, 164
for osteoarthritis, 787, 791
for rheumatoid arthritis, 794
guidelines for, 753–755
weight-bearing, in osteoporosis prevention, 75–76
Exercise bicycle, recumbent, 755
Exertion, at elevated environmental temperatures, physiologic response to, 624
perceived, rate of, 750

Fall(s), and fear of falling, 592
and fractures, 718
causes of, 593–595
deaths from, 592
emergency management of, **591–599**
clinical approach to, 595–598
history, 595–596
laboratory evaluation, 597–598
physical examination, 596–597
functional assessment of, 748–749
incidence, morbidity, and mortality of, 591–593
injury related to, emergency department diagnosis of, 494
risk of, in elderly women, 7–8
Family support, in rehabilitation patients, 847
Fat distribution, and cardiovascular disease, 39–40
Fat transfers, for aging skin, in older women, 226
Fatigue, and crash risk, 382
Femoral neck fracture, 723–725
emergency management of, 613
Fever, hyperthermia vs, 627
Fever of unknown origin, emergency management of, 571
Fibrel injections, for aging skin, in older women, 226–227
Field of view, useful, and crash history, 396
Flail chest, emergency management of, 607–608
Flavoxate, for urinary incontinence, in older women, 163, 169
Flexibility, functional assessment of, 747–748
maintenance of, in Parkinson's disease, 766
relevant to driving, defining and measuring, 369
Flicker fusion, with aging, 392
Fluid resuscitation, for hypothermia, 636
for septic shock, 570
Fluoxetine, for geriatric depression, 853
Focusing, changes in, with aging, 391
Food aspiration, emergency presentation of, 537–538

Forearm fracture, incidence of, age-specific, 80
Fractures, clinical presentations of, 719
common types of, 723–727
Colles', 725–726
femoral neck, 723–725
proximal humerus, 726–727
spinal compression, 727
contributing factors to, 718–719
diagnosis of, 720
epidemiology of, 718
falls and, 592
immobilization of, techniques for, 722
management of, 720–722
outcome in, factors affecting, 722–723
pathologic, in lung cancer, 541
pathology of, 719
rehabilitation of, **717–730**
treatment goals in, 720
Frail elderly, rehabilitation of, 473
Functional assessment, in rehabilitation research, 898–899
of crash victim, 475–478
Functional impairments, with age, 370–371
relationship to driving behavior, 371–372
Futility, concept of, in emergency care of elderly, 659

Gait disturbance, in Parkinson's disease, 770
Gait problems, research on, 899
Gallstone ileus, and acute abdomen, 550
Gastric ulcer, giant, and acute abdomen, 552
Gastric volvulus, and acute abdomen, 548
Gastrointestinal bleeding, and acute abdomen, 551
Gastrointestinal difficulties, in Parkinson's disease, 770
Gender, health, and responsible research, **261–269**
Geriatric assessment, and driver functioning, **365–375**, 454
form for, 21–22
sites and levels of, 876
Geriatric Emergency Care, **491–688**
Geriatric medicine, role of rehabilitation in, 473–478
Geriatric Rehabilitation, **689–904**
Geriatric Rehabilitation Policy Alternatives project, 836–838
Geriatric syndromes, problems in, 3–4
Geriatric trauma, **601–620**. See also under *Trauma.*
Glenohumeral joint, aspiration*injection of, for arthritis, 786*
Goniometer, for range of motion assessment, 405
Gout, effect on driving, 318
rehabilitation in, 796–797
Grief, coping with, 848
Grip strength, assessment of, dynamometer for, 405
Groin, anatomy of, 133
Grooming, rehabilitation training in, 813
Group therapy, for geriatric mental health problems, 854
Gynecologic cancer, in older women, **115–130**
patterns of care for, 150
Gynecologic conditions, and adult respiratory distress syndrome, 539

Haloperidol, for agitation, 643
Hand controls, for older driver, 445
Hand deformity, arthritic, relevance to driving tasks, 318
Handicap(s), definition of, 474
international classification of, 889
"Hardware" effect, in reaction time, 406
Head injuries, emergency management of, 606–607
Health, in older women, ethnicity and, **231–259**
Health care proxy, in emergency care of elderly, 660, 662–663
Health information, provision to community, role of women in, 235–236
Health professionals, older driver assessment by, roles and responsibilities in, 455
Health questionnaire, for older adult, 852
Health research, gender disparities in, 262–265
Health status, general assessment of, in older women, 5–6
measures of, 828
Hearing, impairment of, in older Native American women, 249
relevant to driving, defining and measuring, 366
Heart disease, estrogens and lipids and, **57–67**
exercise tolerance with, classification of, 345
in older women, 57
Chinese-American, 245
Japanese-American, 245
postmenopausal, nonlipid risk factors for, 60
unanswered questions about, 62–63
study of, Women's Health Initiative and, 267

Heart disease *(Continued)*
ischemic, and congestive heart failure, 508
effects on driving, 341–344
prevalence in older adults, 341–342
Heart failure, congestive, acute, emergency presentation of, 507–511
assessing severity of, 345
effect on driving, 344–346
effect on stamina, 345–346
Heart rate, target, calculation of, 753
Heat application, for osteoarthritis, 791
for rheumatoid arthritis, 794
Heat cramps, environmental factors in, 624
Heat edema, environmental factors in, 624
Heat exhaustion, environmental factors in, 625
Heat illness, emergency management of, 622–630
laboratory work-up in, 626
physical examination in, 626
predisposing factors to, 625–626
Heat loss, and thermoregulation, 622
Heat stroke, complications of, 627
environmental factors in, 625–626
prevention of, 630
Heat syncope, environmental factors in, 624–625
Heat tetany, environmental factors in, 624
Hematologic disorders, and adult respiratory distress syndrome, 539
Hemipelvectomy, indication for, 733–734
Hemodialysis, for hypothermia, 635
in older women, and sexual difficulties, 101
Hemodynamic status, in geriatric trauma, 604–605
Hemolysis, with valvular prostheses, 520
Heparin, for pulmonary embolism, 530
Hepatitis B vaccine, guidelines for, 572
Hernia, and acute abdomen, 550
Hip disarticulation, indication for, 733–734
Hip dislocation, emergency management of, 614
Hip fracture, deconditioning interventions in, 752
emergency management of, 612
fall vs bone fragility in, 79–80
incidence of, age-specific, 80
osteoporosis and, **69–85**
outpatient rehabilitation following, 879–880
prevention of, strategies for, 80–81
risk factors for, 71–72
Hip joint, aspiration/injection of, for arthritis, 789
Hip replacement, for osteoarthritis, 793
Hirsutism, in older women, 223–224
Hispanic-American older women, 240–243
demographics of, 240
health beliefs and behaviors of, 242–243
health care access and use by, 242
risks for impaired health in, 241–242
role of, 240–241
Home assessment, of elderly women, 11–12
Home modifications, in rehabilitation, **803–821**
factors in, 818
for accessibility, 816–817
outpatient, 877
safety, 818
resources for, 814
Home skills, rehabilitation training in, 814–816
Homeopathic medicine, for arthritis, 796
Hormone(s), effects on research findings, 262
production of, after menopause, 33–34
therapy with, for breast cancer, in elderly woman, 111
Hormone replacement therapy, 43–50
and cardiovascular disease risk, 43
contraindications and risks of, 45–50
breast cancer, 46–50
conclusions about, 49–50
meta-analyses of, 48–49
recent studies of, 46–48
cervical cancer, 121–122
endometrial cancer, 45
ovarian cancer, 121–122
in menopause, **33–55**
indications for, 43–44
methods of, 44–45
Hospitalization, functional losses during, 746
Hot flashes, with postmenopausal estrogen deprivation, 36
Housework, rehabilitation training in, 814–815
Humerus, fracture of, emergency management of, 611
proximal, fracture of, 726–727
Humoral immunity, in aged, 560
Hypercalcemia, in lung cancer, 541
Hypersensitivity pneumonitis, emergency presentation of, 536–537
Hypertension, and cardiovascular disease risk, 41
as cardiac disease risk factor, 500
in older women, African-American, 237
Filipino, 245
Hispanic-American, 241
Hypertensive crisis, as psychogeriatric emergency, 645
Hyperthermia, compounds inducing, 628
cooling for, patient management following, 629
differential diagnosis of, 627–629
emergency management of, 623–630
environmental factors in, 623–627

Hypertrophic cardiomyopathy, emergency presentation of, 513–514
Hypnotics, effect on driving, 422
Hypoglycemia, in diabetes, 332–333
Hypoglycemics, effect on driving, 417, 427–428
epidemiologic studies of, 428
pharmacology of, 427–428
Hypotension, as psychogeriatric emergency, 643
Hypothalamus, and thermoregulation, 622
Hypothermia, definition of, 630
differential diagnosis of, 631–633
drugs predisposing to, 632
emergency management of, 630–637
pathophysiology of, 633–634
predisposing factors of, 632
rewarming methods for, 633–636
signs and symptoms of, 630–637
Hypoxia, with pulmonary embolism, 529
Hysterectomy, in older women, and sexual difficulties, 99–100
recurrent cancer following, 127

Illness, gender differences in, 234–235
Imipramine, for urinary incontinence, in older women, 163, 169
Immunity, compromised, in aged, nonspecific factors in, 561
Immunization, for older women, recommendations for, 13
guidelines for, 571–572
Impairment(s), definition of, 474
international classification of, 889
Incontinence, urinary, classification of, 158–159
in older women, **157–171**
behavioral training for, 162–164
catheters and collection devices for, 166–168
electrical stimulation for, 166
evaluation of, 159–162
management of, 162–169
surgery for, 164–166
vulnerability to, 157–158
Infection, and adult respiratory distress syndrome, 538
emergency department diagnosis of, 494
in aged, altered host response to, 560–561
Infectious disease emergencies, in geriatric population, **559–575**
Inflammation, and acute abdomen, 551–553
Influenza virus vaccine, guidelines for, 571–572
Information processing, benzodiazepine impairment of, 419
tests of, in medicated older driver, 414
Informed consent, in emergency care of elderly, 658
Inhalation, and adult respiratory distress syndrome, 538
Injury, geriatric. See *Trauma.*
severity of, and survival, in trauma victim, 467–468
Insulin, effect on driving, 427–429
types of, 332
Internal medicine, traditional, comprehensive geriatric assessment vs, 4
Interphalangeal joints, aspiration/injection of, for arthritis, 788
Interstitial lung disease, emergency presentation of, 536
Intertrochanteric fracture, emergency management of, 613
Intimacy, altered, coping with, 849
Intussusception, and acute abdomen, 550
Isolation, and substance abuse, in older women, 198

Joint(s), age-related changes in, 783–784
replacement of, for osteoarthritis, 793
Judgment, relevant to driving, defining and measuring, 369

Kegel exercises, for urinary incontinence, in older women, 162
Kelly plication, for urinary incontinence, in older women, 164
Kidney disease, in older Native American women, 249
Kinesiotherapist, role in rehabilitation, 475
Kinetron, for lower extremity strengthening, 760
Knee(s), aspiration/injection of, for arthritis, 789
disarticulation of, indication for, 733
for prostheses, 736–737
replacement of, for osteoarthritis, 793

Large bowel neoplasm, and acute abdomen, 550
Latex tubing, for upper extremity strengthening, 758
Legal liability, in emergency care of elderly, 660
Leisure activities, rehabilitation training in, 816
Lichen sclerosis, of vulva, 135
Lidocaine, for acute myocardial infarction, 504
Light scattering, increased, with aging, 391

Lipid aspiration, emergency presentation of, 538
Lipids, estrogens, and heart disease, 41, **57–67**
Lipoprotein profile, gender differences in, 39
Lisfranc's tarsometatarsal amputation, indication for, 733
Lisuride, for parkinsonism, 774
Lithium toxicity, as psychogeriatric emergency, 644
Liver disease, in older Native American women, 249
Living situation, of crash victim, and rehabilitation, 478
Living status, of elderly, 11
Living will, in emergency care of elderly, 661–662
Lower extremity, ergonometer for, 757
injuries to, emergency management of, 612–615
strengthening of, 760–762
Lung cancer, emergency presentation of, 540–542
gender-biased research on, 264
in older women, patterns of care for, 149
Lung disease, emergency presentation of, 536
Lung function, decline in, with age, 527
Lymph node metastases, in vulvar invasive carcinoma, incidence of, 138
management of, 138–140

Malnutrition, and compromised immunity, in aged, 561
and hypothermia, 631
Mania, in older women, 177
Marshall-Marchetti-Krantz procedure, for urinary incontinence, in older women, 164
Meal preparation, rehabilitation training in, 815
Mechanical ventilation, in emphysema, 535
Mediastinal lavage, for hypothermia, 635
Medicaid, rehabilitation coverage by, 833–834
Medical conditions, and fractures, 719
Medical Considerations in the Older Driver, **279–490**
Medical education, regarding chronic disabling illness, changes needed in, 884
Medical evaluation, driving-related questions in, 452
Medical interventions, extreme, in emergency care of elderly, 657
Medicare, rehabilitation coverage by, 833–834
Medication(s), abuse of, in rehabilitation patients, 845
and congestive heart failure, 508
and older driver, **413–438**
concerns in, 417–429
methodology in, 414–417
epidemiologic studies, 415–417
psychomotor function tests, 414–415
prevalence of use by, 417
assessment form for, 25–26
in older women, and sexual difficulties, 100
review of, 11
Medication taking, rehabilitation training in, 813–814
Melanocytes, density of, relationship to age, 212
Melanoma, of skin, in older women, 222
Memory, benzodiazepine impairment of, 419
impairment of, in rehabilitation patients, 844
loss of, and driving problems, 354
relevant to driving, defining and measuring, 367
Meningitis, emergency diagnosis and management of, 563–564
Menopausal syndrome, with estrogen deprivation, 36
Menopause, and hormone replacement therapy, **33–55**
impact on sexuality, 90, 93
study of, need for, 265–266
Menstrual function, altered, with postmenopausal estrogen deprivation, 34–35
Mental capacity, impaired, emergency department management of, 650–651
Mental health, in older women, **173–196**
and primary care, 185–187
demographics of, 192–193
psychobiosocial perspectives on, 191–193
psychological aspects of, 183–185
problems of, in rehabilitation, 853–855
Meperidine, effect on driving, 426
Mesenteric ischemia, acute, and acute abdomen, 553–554
Metabolic disorders, and adult respiratory distress syndrome, 538
and congestive heart failure, 508
Metacarpophalangeal joints, aspiration/injection of, for arthritis, 788
Metacognition, relevant to driving, defining and measuring, 368
Metatarsophalangeal joint, aspiration/injection of, for arthritis, 791
Methadone, effect on driving, 426
Methyldopa, effect on driving, 429
Microangiopathy, in diabetes, effect on driving, 333

Mini-Mental Status Questionnaire, 693
Minority status, and substance abuse, in older women, 199
Mitral regurgitation, and congestive heart failure, 508
emergency presentation of, 518–519
Mitral stenosis, emergency presentation of, 517–518
Mitral valve prolapse, emergency presentation of, 518–519
Mobility, in driving, 404
in stroke rehabilitation, 712–713
skills in, and functional independence, 476
Mobility aids, in rehabilitation, 805–811
canes, 805
crutches, 805–806
fitting and training with, 806
orthoses, 806
walker, 806
wheelchair, 807–809
Mohs' microscopic surgery, for basal cell carcinoma, 223
Moles, in older women, 218
Mood changes, in Parkinson's disease, 771
Mood questionnaire, for older adult, 852
Morphine, effect on driving, 426
Mortality, gender differences in, 234–235
Motivation, in rehabilitation, 847
evaluation of, 695
research on, 900, 902
Motor coordination, benzodiazepine impairment of, 419
tests of, in medication use in older driver, 414
Motor function, relevant to driving, 403–404
defining and measuring, 369–370
Motor vehicle crash, visual risk for, 395
Movement disorders, **765–781**
drugs associated with, 768
hyperkinetic, 775–777
approaches to medical treatment, 776
role of rehabilitation in, 766–767
Movement time, in reaction time, 406
Mucolytic agents, in emphysema, 534
Multistep command, ability to follow, as prerequisite for rehabilitation, 693–694
Muscle(s), age-related changes in, 783–784
manual testing of, for functional assessment, 747
strength of, effect of arthritis on, 317
Muscle relaxants, for arthritis, effects on central nervous system, 315–316
Musculoskeletal deconditioning, 746
Musculoskeletal injuries, emergency management of, 611
Musculoskeletal problems, emergency department diagnosis of, 494
prevalence of, 313
Myocardial infarction, acute, driving privileges following, 343–344
effects on driving, 341–344
mechanical reperfusion for, 505–507
prevalence in older adults, 341–342
mortality from, gender-biased research on, 264
Myocardial ischemia/infarction, electrocardiographic changes in, 501–502
emergency presentation of, 501–507
enzymatic changes in, 502–503
pharmacologic management of, 503–506
treatment of, 503
Myoclonus, disorders associated with, 776–777

Native American older women, 248–252
demographics of, 248
health beliefs and behaviors of, 251–252
health care access and use by, 250–251
risks for impaired health in, 249–250
role of, 248–249
Neglect, of elderly. See *Elder abuse/neglect.*
Neoplasms, and fever of unknown origin, 571
Neuroglycopenia, with hypoglycemics, 428
Neuroleptic malignant syndrome, 775
as psychogeriatric emergency, 643–644
Neurologic disease, emergency department diagnosis of, 494
Neurologic disorders, state driving policies on, 287–289
Neurologic emergencies, common, **577–590**
delirium vs dementia in, 577–580
Neurologic syndromes, in lung cancer, 541
Neuromuscular assessment, for rehabilitation, 692
Neutrophil function, in aged, 561
Nevi, in older women, natural history of, 218
Nitrates, for acute myocardial infarction, 503
Nongastroenterologic disorders, and acute abdomen, 556
Nonsteroidal anti-inflammatory drugs, for arthritis, 795
effects on central nervous system, 315–316
Nortriptyline, for geriatric depression, 853
Nursing home(s), characteristics of, 861
rehabilitation in, **859–871**
barriers to, 867
common problems in, 866–867
effectiveness of, studies of, 864–865
historical perspective on, 859–860
implementing of, 861–867
effectiveness, 863–866

Nursing home(s) *(Continued)*
goals, 861–862
rehabilitation team, 862–863
residents of, characteristics of, 861
Nutrition, assessment form for, 29–30
deficiencies of, in older African-American women, 238
in older women, 6–7
and emotional health, 184–185

Obesity, in older Native American women, 250
Obstruction, and acute abdomen, 548–551
Occupational therapist, involvement in driving performance, 440–442
older driver assessment by, roles and responsibilities in, 455
role in rehabilitation, 475
Occupational therapy, for Parkinson's disease, 766
referrals for, indications for, 818–820
physician education and, 885
Older adult, rehabilitation of, 478–481
Older Americans Act (1965), 834
Older driver, assessment of, **449–459**
health professionals' roles and responsibilities in, 455
physician roles and responsibilities in, 450–455
cognitive evaluation of, 283, 441
crashes by, locations of, 285
rate of, 283–284
risk of, 282–286
types of, 284
dementia and, **349–364**. See also *Dementia.*
evaluation and retraining programs for, **439–448**
fatality rates of, 286
functioning of, geriatric assessment and, **365–375**
impaired, identification and evaluation of, 286–291
male vs female, 299–301
medications and, **413–438**. See also *Medications;* names of specific drugs and drug categories.
miles driven by, 282
motor evaluation of, 441
number licensed, 280
office-based assessment of, 454
on-road evaluation of, 442
overview of, **279–296**
performance of, 280–286
physician's role with, conflicts in, 291–294
independence vs public safety, 291–292
legal liability, 292–294
predriving assessment of, 441
psychomotor mobility and, 283, **403–411**
relicensing of, 287, 290–291
review of, 280–294
sensory evaluation of, 442
state policies on, 286–291
traffic violations by, 285
transportation needs of, **297–310**
visual function in, assessment of, 283, **389–401**
visually impaired, self-imposed restrictions on, 398
with arthritis, evaluation of, **311–322**
Older woman (women), **1–269**
assessment of, **1–31**
breast cancer in, management of, **107–113**
comprehensive geriatric assessment of, 3–4
dermatologic/cosmetic concerns of, **209–229**
ethnic, African-American, 236–240
Asian/Pan-Pacific, 243–248
cohort issues for, 232–233
health of, **231–259**
Hispanic-American, 240–243
impaired health in, risk factors for, 233–234
Native American, 248–252
general health status assessment of, 5–6
hormone prescription patterns for, 266
incontinence in, **157–171**. See also *Incontinence.*
mental health and, **191–196**
primary care in, 185–187
ovarian, uterine, and cervical cancer in, **115–130**
pathophysiology of, menopause-related research and, 266
psychogeriatric assessment of, principles of, 186
screening and preventive measures for, 12–14
sexuality of, **87–106**
activity in, 91–93
alone, 94
difficulties in, 97–101. See also *Sexual difficulties.*
institutionalized, 96–97
issues in, management of, 101–102
response cycle in, 93–95
substance abuse in, **197–208**
Olecranon bursa, aspiration/injection of, for arthritis, 786
On-road driving tests, in medicated older driver, 415
Opioids, effect on driving, 426, 429
use by older drivers, 417
Optical changes, with aging, 390–391

Optician, older driver assessment by, roles and responsibilities in, 455
Optometrist, older driver assessment by, roles and responsibilities in, 455
Orthoses, in rehabilitation, 806
Orthotist, role in rehabilitation, 475
Osteoarthritis, 784–793
  complementary medicine in, 795–796
  correlation with age, 314
  differential diagnosis of, 785
  lower limb, effect on driving, 318
  management of, 785–793
    braces/splints, 792
    drug therapy, 785
    exercise, 787, 791
    joint aspiration/injection, 785–787
    physical measures, 791–792
    surgery, 792–793
Osteoporosis, and hip fracture, **69–85**
  definition of, 69
  detection of, 73–75
  prevention of, 75–76
  study of, Women's Health Initiative and, 267
  treatment of, 76–79
  with postmenopausal estrogen deprivation, 37–38
Outpatient setting, rehabilitation in, **873–881**
    following hip fracture, 879–880
    organization of, 878
    teams for, 875–877
    transition to, 877–879
    United States vs England, 873–874
Ovarian cancer, 122–124
  diagnosis of, incidence by age, 116
  mortality rates of, 117–118
  screening for, 117–119
  staging of, 122
  symptoms of, 122
  treatment for, 119–121, 123–124
Overcrowding, in emergency care of elderly, 656
Oxybutynin, for urinary incontinence, in older women, 163, 169
Oxycodone, effect on driving, 426
Oxygen, supplemental, in emphysema, 533
Oxygenation, cerebral, and syncope, 581

Pain, as barrier to nursing home rehabilitation, 867
  perception of, in geriatric trauma, 605
Panic disorders, in older women, prevalence of, 178
Pap smear, for cervical cancer detection, 119
Paranoid psychoses, in older women, 182–183
Parasympatholytics, in emphysema, 533–534
Parathyroid hormone, postmenopausal changes in, 73
Parkinson's disease (parkinsonism), clinical features and diagnosis of, 767–771
  counseling in, 767
  driving adjustments in, 315
  fluctuations in, 774–775
  interventions for, 775
  rehabilitation for, 766
  secondary, causes of, 768
  therapy of, 773–775
Parkinson's plus syndromes, 767
  differential diagnosis of, 771–772
Patellar tendon bearing socket, for lower-limb prosthesis, 738
Patient autonomy, principle of, in living will, 661
Patient competence, in emergency care of elderly, 658
Patient history, items relevant to older driver, 453
Patient preferences, as influence in cancer treatment, 151–152
Patient surrogate, in emergency care of elderly, 658
Pelvic fracture, emergency management of, 612
Pelvic muscle exercises, for urinary incontinence, in older women, 162
Pelvic tumors, diagnosis of, incidence with aging, 116
Pentazocine, effect on driving, 426
Perception-response time, in reaction time, 406
Performance evaluation, in rehabilitation research, 898–899
Pergolide, for parkinsonism, 773
Perimenopause, definition of, 33
Peripheral neuropathy, in diabetes, effect on driving, 333
Peripheral vascular disease, in older Hispanic-American women, 241
Peritoneal lavage, for hyperthermia, 629
  for hypothermia, 635
Personal care, rehabilitation training in, 811–814
Personality disorders, in rehabilitation patients, 846
Phantom limb, following amputation, 734–735
Pharmacologic treatment, for urinary incontinence, in older women, 168–169
Phenylpropanolamine, for urinary incontinence, in older women, 163, 169
Phenytoin, effect on driving, 429
Phosphorus, dietary consumption of, in osteoporosis prevention, 75
Photoaging, of skin, 211

Physical activity, in osteoporosis, 38
Physical assessment, of crash victim, and rehabilitation, 478
Physical fitness, and driving, 442
Physical function, measures of, 827
  relevant to driving, defining and measuring, 369–371
Physical illness, in older women, and anxiety, 178
  and sexual difficulties, 99–101
Physical restraints, for assaultiveness, 649
Physical therapists, physician uncertainty about, 884
  referral to, indications for, 818–820
  role in rehabilitation, 475
Physician, older driver assessment by, roles and responsibilities in, 450–455
  responsibility in driver dementia, 359–360
  role in rehabilitation, 474–475
Physiologic changes, age-related, and risk of unsafe driving, 451
Pleural lavage, for hypothermia, 635
Pneumococcal polysaccharide vaccine, guidelines for, 572
Pneumonia, emergency diagnosis and management of, 566–567
Pneumonitis, hypersensitivity, emergency presentation of, 536–537
Podagra, effect on driving, 318
Polymyalgia rheumatica, rehabilitation in, 797–798
Polypharmacy, effect on driving, 429
Postural stability, loss of, in Parkinson's disease, 770
  testing of, 597
Posture, maintenance of, components of, 594–595
Posture guard chair, 754
Power of attorney, in emergency care of elderly, 660
Presbyopia, with aging, 391
Prickly heat, environmental factors in, 624
Primary care physicians, educating in geriatric rehabilitation, 883–893
Progestins, and cardiovascular disease risk, 42–43
  oral, effect on lipids, 58–59
Propantheline bromide, for urinary incontinence, in older women, 169
Propoxyphene, effect on driving, 426
Proprioception, in driving, 404
Prosthesis, lower limb, components of, 735–739
    ankle-foot, 735–736
    knees, 736–737
    sockets, 737–738
    suspension system, 738–739
  prescription for, following amputation, 735–739
Prosthetist, role in rehabilitation, 475
Pruritus, in older women, 215
Pseudodementia, in elderly, 642
Pseudoephedrine, for urinary incontinence, in older women, 163, 169
Pseudogout, rehabilitation in, 796–797
Psychiatric disorders, in older women, **173–190**
  perspectives on, 193–195
  prevalence of, 174–183
  referral for, 195
Psychogeriatric assessment, principles of, 186
Psychogeriatric emergencies, 494–495, **641–653**
  pharmacologic, 643–646
Psychologic factors, in rehabilitation, **841–857**
  evaluation of, 694–695
  from stroke, 713
  importance of, 841
Psychological issues, in older women, and sexual difficulties, 98
Psychological status, in older women, 9–10
Psychologist, clinical, role in rehabilitation, 475
Psychomotor function, and older driver, **403–411**
  tests of, in medicated older driver, 414–415
  with antidepressants, 423–425
  with benzodiazepines, 418–420
Psychoses, paranoid, in older women, 182–183
Psychosocial assessment form, for elderly women, 27–28
Psychosocial problems, emergency department diagnosis of, 494
Psychosocial skills, and functional independence, 476
Psychotherapy, for geriatric mental health problems, 854
Psychotic disorders, in rehabilitation patients, 846
Psychotropic medication, for agitated older patient, indications for, 580
Pulmonary angiography, with pulmonary embolism, 530
Pulmonary assessment, for rehabilitation, 692
Pulmonary contusion, emergency management of, 608
Pulmonary diffusing capacity, decline in, with age, 527–528
Pulmonary disease, emergency presentation of, acute, **527–545**
  chronic obstructive, 532–535
  obstructive, 531–535
Pulmonary embolism, emergency management of, 528–531

Pulmonary emergencies, noninfectious causes of, 528–536

Quality of life, as influence in cancer treatment, 151–152
  components of, 161

Radiation therapy, for breast cancer, in elderly women, 111
  for cervical cancer, 126–127
  for gynecologic malignancy, in older women, 120
Radiocarpal joint, aspiration/injection of, for arthritis, 788
Rancho Los Amigos Rehabilitation Research and Training Center, 836
Range of motion, assessment of, goniometer for, 405
  in driving, 404
Reaction time, components of, 406
  in driving, 404–408
  of older driver, 281
  tests of, 407–408
Recovery skills, functional assessment of, 748–749
Recreational therapist, role in rehabilitation, 475
Reflex sympathetic dystrophy, rehabilitation in, 798
Registration/recall, as prerequisite for rehabilitation, 692–693
Rehabilitation, assessment form for, 701–703
  assistive devices and home modifications in, **803–821**
  candidates for, 899
  cardiovascular assessment for, 691–692
  cognitive assessment for, 692–694
  common mental health problems in, 842–846
    acute confusional states, 844
    anxiety disorders, 844–845
    cognitive impairment, 843–844
    delirium, 844
    dementia, 844
    depression, 842–843
    family support, 847
    memory impairment, 844
    motivation, 847
    personality disorders, 846
    psychotic disorders, 846
    self-esteem, 847
    substance abuse, 845–846
  components of, 874
  definition of, 832
  delivery of, research on, 901–902
  educating primary care physicians in, 883–893
  following amputation, environments for, 739–742
  for functional maintenance, research on, 900
  funding and policies affecting, **831–840**
  identification of needs in, 874–875
  in nursing home, **859–871**. See also *Nursing home(s).*
  in outpatient setting, **873–881**. See also *Outpatient setting.*
  integrated approach to, 889–890
  medical education concerning, 887–888
  movement disorders in, **765–781**. See also *Movement disorders.*
  neuromuscular assessment for, 692
  obstacles limiting, 838
  of arthritis, **783–801**
  of crash victim, **473–483**
    inpatient, 479
    multiply injured, 479–480
    team members for, 479
  of disabilities, current policies on, 835
      limitations of, 836
    history of, 832–833
  outcomes in, definition of, 690
    measurement of, **823–829**
      clinical relevance of, 824–825
      currently available tests for, 826
      future trends in, 826
      purpose of, 823–824
      recommendations for, 826
      test characteristics of, 825–826
  patient screening in, 888
  physical status evaluation for, 691–692
  policy history of, 832–836
  policy limitations of, 836
  potential for, assessment of, **689–703**
    biopsychosocial model for, 690
    definition of, 690
    outcome vs, 689–691
  principles of, 474–475
  psychologic factors in, **841–857**
    assessment, 850–852
    evaluation of, 694–695
    intervention methods for, 852–855
  pulmonary assessment for, 692
  reaction to, psychologic assessment of, 851–852
  reimbursement for, 887
  research and policy implications of, 838–840
  research in, **895–904**
    future directions for, 897–899
      functional assessment and performance evaluation, 898–899
      natural history of disability, 897–898
    intervention issues in, 899–901
    problems with, 896–897

Rehabilitation *(Continued)*
research on, special interest areas, 902–903
role of allied health professionals in, 698–699
settings for, 697–698
social factors in, 695–697
stroke, **705–716**. See also *Stroke rehabilitation.*
varying definitions of, 837–838
Rehabilitation Act (1973), 833
Rehabilitation nurse, role in rehabilitation, 475
Rehabilitation team, for nursing home rehabilitation, 862–863
Rehabilitation therapist, older driver assessment by, roles and responsibilities in, 455
Relationship problems, in older women, and sexual difficulties, 98–99
Reliabilty, of rehabilitation outcomes, measurement of, 824–825
Renal dialysis, gender-biased treatment in, 264
Respiratory failure, emergency presentation of, 527
Respiratory infection, and emphysema exacerbation, 532
Respiratory stimulants, in emphysema, 535
Retinal illuminance, decreased, with aging, 390
Retinopathy, in diabetes, effect on driving, 333
Retraining programs, for older drivers, **439–448**
Rheumatic diseases, prevalence of, 313
Rheumatic heart disease, and mitral stenosis, 517–518
Rheumatism, nonarticular, rehabilitation in, 797–798
Rheumatoid arthritis, complementary medicine in, 795–796
Rickshaw, for upper extremity strengthening, 759
Rigidity, in Parkinson's disease, 769–770
Romantic love, concept of, 88–89
Rotator cuff, degeneration of, effect on driving, 318
tears of, emergency management of, 611
tendinitis of, rehabilitation in, 798

SACH foot, for prostheses, 735–736
Safe Driving for Mature Operators Program, AAA sponsored, 443–444
Scooters, rehabilitation training with, 810
Sebaceous hyperplasia, in older women, 217
Seborrheic keratoses, in older women, 217
Seizure, single, recurrence risk after, 325
Seizure disorders, in older drivers, **323–339**
Self-care skills, and functional independence, 476
Self concept, with disability, coping with, 849
Self-esteem, in rehabilitation patients, 847
Self-feeding, rehabilitation training in, 813
Sensitivity, in rehabilitation outcome measurement, 825
Sensorimotor skills, tests of, with medication use in older driver, 414
Sensory complaints, in Parkinson's disease, 770
Sensory deficits, and trauma, 603
Sensory function, in elderly women, 6
relevant to driving, 370–371
defining and measuring, 366
tests of, in medicated older driver, 414
Sertraline, for geriatric depression, 853
Sex hormones, effect on cardiovascular disease, 39–40
role in skeletal integrity, 72
Sexual activity, cultural mythology regarding, 88–89
in older women, 10, 90, 93
studies of, 91–92
Sexual difficulties, in older women, 97–101
perspectives on, 194
physical ilness, 99–101
psychological issues, 98
relationship problems, 98–99
with gynecologic malignancy, 121
Sexual response cycle, in older women, 93–95
Sexuality, in elderly couples, 96
in older women, **87–106**
historical treatment of, 87–88
issues in, management of, 101–102
psychosocial aspects relevant to, 94–97
Shampooing, rehabilitation training in, 812–813
Shock, and adult respiratory distress syndrome, 539
septic, emergency management of, 569–570
tolerance of, in geriatric trauma, 605
Shoulder, fracture of, emergency management of, 611
Shoulder joint, aspiration/injection of, for arthritis, 786
Shy-Drager syndrome, differential diagnosis of, 771–772
Sigmoid volvulus, and acute abdomen, 549
Signal switches, for older driver, 445
Sinemet, for parkinsonism, 774
Skin, aging of, 211–215
histologic features of, 213
disorders of, in older women, 215–225
infections of, emergency management of, 569

structure and function of, 209–210
tumors of, in older women, benign, 216–218
malignant, 221–223
Skin tags, in older women, 218
Sling procedures, for urinary incontinence, in older women, 165
Smoking, as cardiac disease risk factor, 500–501
Social factors, in rehabilitation, 695–697
from stroke, 713
Social worker, role in rehabilitation, 475
Socket designs, for lower limb prostheses, 737–738
"Software" changes, in reaction time, 407
Solar lentigenes, in older women, 218–220
Somatic disorders, and anxiety, in older women, 178
Speech and language pathologist, role in rehabilitation, 475
Speech therapy, for Parkinson's disease, 766
Sphincters, artificial, for urinary incontinence, in older women, 165
Spinal cord compression, causes of, 586
emergency treatment of, 585–587
signs of, 586–587
symptoms of, 586
testing in, 587
Spine, compression fracture of, 727
injuries to, emergency management of, 615–616
Spinner knobs, for older driver, 445
Splinting, for osteoarthritis, 792
for rheumatoid arthritis, 794
Spot mirrors, for older driver, 445
Stairs, for lower extremity strengthening, 761–762
Stasis dermatitis, in older women, 215–216
State government, older driver assessment by, roles and responsibilities in, 456–457
Strength, activities for, 755
in elderly women, 8
maintenance of, research in, 900
Medical Research Council scale of, 404
of older driver, 281
relevant to driving, defining and measuring, 369
Stroke, complications following, prevention of, 711–712
deconditioning interventions in, 752
epidemiology of, 705–706
in older drivers, 327–331
driver retraining following, 440
driving pattern following, 329–330
in older women, and sexual difficulties, 101
state driving policies on, 287–289
Stroke rehabilitation, **705–716**
candidate selection for, 709–710
components of, 712–713
duration of benefit of, 709
effect of home social setting on, 710–711
effectiveness of, 707–708
factors affecting outcome, 710
frequency of therapy in, 709
programs for, types of, 706–707
spontaneous recovery vs, 707–708
Subacromial bursa, aspiration/injection of, for arthritis, 786
Substance abuse, in older women, **197–208**
definition of, 197
risk factors for, 198–199
trends and issues in, 206–207
in rehabilitation patients, 845–846
Subtalar joint, aspiration/injection of, for arthritis, 790
Subtrochanteric fracture, emergency management of, 614
Suicidal ideation/intent, emergency management of, 646–647
Suicide, in older women, Asian-American, 246
prevalence of, 176
Sulfonylureas, effect on driving, 427–429
Superior vena cava syndrome, in lung cancer, 541
Support system, in rehabilitation, importance of, 696
Supranuclear palsy, differential diagnosis of, 772
Surgery, for urinary incontinence, in older women, 164–166
in older women, and sexual difficulties, 100
Suspension systems, for lower limb prostheses, 738–739
Syme's amputation, indication for, 733
Sympathomimetic(s), for congestive heart failure, 510
in emphysema, 533
Syncope, classification of, 582–583
emergency management of, 580–585
evaluation of, 583
physiologic changes predisposing to, 581
Syndrome of inappropriate antidiuretic hormone secretion, in lung cancer, 541–542
Systolic dysfunction, and congestive heart failure, treatment of, 509–511

Tamoxifen, for breast cancer, in elderly women, 111
Tardive dyskinesias, acute, as psychogeriatric emergency, 645
Technology, in emergency care of elderly, 655–656

Telephone use, rehabilitation training in, 816
Tendinitis, rotator cuff, rehabilitation in, 798
Terminal care, in older women, and emotional health, 185
Terodiline, for urinary incontinence, in older women, 169
Tetanus, hyperthermia in, 628
Tetanus toxoid vaccination, guidelines for, 572
Thermoregulation, acute disorders of, emergency management of, **621–639**
  mechanisms of, 621–623
Thioridazine, for agitation, in elderly, 643
Thromboembolic phenomena, with valvular prostheses, 520
Thrombolytic therapy, for acute myocardial infarction, 504–506
    contraindications to, 505
    indications for, 504
  for pulmonary embolism, 531
Thyroid function, and basal metabolic rate, 622
  screening of, in older women, 13
Tibial plateau fracture, emergency management of, 614–615
Tibiotalar joint, aspiration/injection of, for arthritis, 790
Toileting, rehabilitation training in, 813
Tracheal obstruction, in lung cancer, 541
Traction, for osteoarthritis, 792
Transcutaneous electrical nerve stimulation, for osteoarthritis, 791–792
Transfemoral amputation, indication for, 733
Transfers, functional assessment of, 748
  rehabilitation training in, 809–810
Transient ischemic attacks, driving pattern following, 330
Transverse colon volvulus, and acute abdomen, 550
Trapeziometacarpal joint, aspiration/injection of, for arthritis, 788
Trauma, and adult respiratory distress syndrome, 538
  geriatric, **601–620**
    abdominal, 610
    aortic injury, 609–610
    chest wall injuries, 607–609
    epidemiology of, 601–602
    head injuries, 606–607
    initial evaluation and treatment of, 604–606
    lower extremity, 612–615
    mechanism of injury in, 602
    musculoskeletal, 610
    prognosis in, 616
    spinal, 615–616
    upper extremity, 610–611
  response to, effect of aging on, 603–604
Trauma victim, assessment of injury to, 463–466
    diagnostic procedures, 465–466
    history, 463–464
    physical examination, 464–465
  evaluation and treatment of, **461–471**
    direct costs for, 462–463
    history of, 461–463
    magnitude and characteristics of problem, 461–462
  management errors in, 469–470
  therapeutic concerns in, 466–470
    factors influencing survival, 467–470
      advanced age, 468
      critical care issues, 468–470
      injury severity, 467–468
    functional recovery, 466–467
Traumatic cord syndromes, emergency management of, 615–616
Trazodone, for geriatric depression, 853
Treatment refusal, management of, 650–651
Tremor(s), clinical and pharmacologic differentiation of, 769
  in Parkinson's disease, 769
  treatment of, 777
Trochanteric bursa, aspiration/injection of, for arthritis, 789
Tuberculosis, extrapulmonary, and fever of unknown origin, 571
  in older Native American women, 249

Ulcer disease, and acute abdomen, 551
Undernutrition, in elderly women, 6–7
United Parkinson Disease Rating Scale, for timed movements, 770
Upper extremity, ergonometer for, 756
  function of, in elderly women, 8
  injuries to, emergency management of, 611–612
  paresis of, following stroke, 711–712
  strengthening of, 758–759
Urinalysis, for urinary tract infection, 568
Urinary incontinence, in older women, **159–171**. See also *Incontinence.*
Urinary tract infections, emergency management of, 567–569
Urine output, in geriatric trauma, 605
Uterine cancer, 124–125. See also *Endometrial cancer.*

Vaginal atrophy, in older women, and sexual difficulties, 99
  with postmenopausal estrogen deprivation, 36

Vaginal bleeding, abnormal, in endometrial cancer, 124
Validity, of rehabilitation outcomes, measurement of, 824–825
Valvular heart disease, acquired, emergency presentation of, 511–513
Valvular prostheses, complications of, 519–521
Vascular disorders, and acute abdomen, 553–556
Vasodilators, for congestive heart failure, 510–511
Vehicle design, alterations in, for older driver, 409–410
Venous thrombosis, deep, and pulmonary embolism, 529
Ventilation, mechanical, for adult respiratory distress syndrome, 539
Ventilation-perfusion radionuclide lung scan, with pulmonary embolism, 529–530
Versatrainer, for upper extremity strengthening, 758
Viscus, perforated, and acute abdomen, 551
Vision, benzodiazepine impairment of, 419
  changes with aging, 389–394
  in older driver, 281–282
    assessment of, **389–401**, 452
    interventions for, 398
  peripheral, effect of arthritis on, 317
  relevant to driving, 394–398
    defining and measuring, 366
Visual adaptation, deficits in, with aging, 393
Visual attention, measurement of, 379, 395
Visual field, decrease in, with aging, 392, 395
Visual impairment, in older Native American women, 249
Visual problems, evaluation of, for driving risk, 452
Visual sensitivity, with aging, 392
Visuospatial skills, relevant to driving, deficits in, 354
    defining and measuring, 367–368
Vitamin D, dietary consumption of, in osteoporosis prevention, 75
Vocational Rehabilitation Act (1943), 833
Voiding schedules, for urinary incontinence, in older women, 164
Volume depletion, and syncope, 581
Vulva, anatomy of, 133
  dystrophies of, 135
  intraepithelial lesions of, 135
  invasive carcinoma of, lymph node metastases in, 135
    management of, **131–143**
    pretreatment evaluation in, 133–135
    prognosis of, 141–142
    stage of, incidence of lymph node metastases in, 138–139
    staging of, 133–134
    survival in, 141–142
    treatment of, early stage, 136–139
      algorithm for, 137
      primary vs recurrent, 137
    historical approaches to, 136
    late stage, 139–141
      algorithm for, 140
Vulvectomy, psychosocial impact of, 141
  skin incisions for, 132

Waiting time, in emergency care of elderly, 656
Walker, rehabilitation training in, 806
Weapons, in emergency department, management of, 649–650
Wheelchair, mobility with, functional assessment of, 749
  rehabilitation training with, 807–809
Women's Health Initiative, 267
Wrist, aspiration/injection of, for arthritis, 788
  motion of, effect of arthritis on, 317, 318

Xerosis, in older women, 215–216